



Commentary

Volume 14 Issue 2 - February 2018
DOI: 10.19080/ARTOAJ.2018.14.555911

Agri Res & Tech: Open Access J

Copyright © All rights are reserved by Ranga Rao A

Algae as Source of Functional Ingredients for Health Benefits



Ranga Rao A^{1*} and Ravishankar GA²

¹Department of Biotechnology, Vignan's Foundation for Science, Technology and Research (Deemed to be University), Andhra Pradesh, India

²Dr. C. D. Sagar Center for Life Sciences, Dayananda Sagar Institutions, Karnataka, India

Submission: January 23, 2018; Published: February 22, 2018

*Corresponding author: Ranga Rao A, Scientist and Assistant Professor, Department of Biotechnology, Vignan's Foundation for Science, Technology and Research University (VFSTRU), Guntur-522213, Andhra Pradesh, India, Email: arangarao99@gmail.com

Abstract

Algae produce a number of important functional ingredients for health benefits which are incorporated into foods consumed on daily basis, such as energy bars, breads, cookies, cereals, desserts, ice creams, pastas, and emulsions etc to improve human health and reduce the risk of chronic disease. Further, algal powders and extracts are used in nutraceutical, pharmaceutical and food industry as tablets, capsules, crystals, gels and dietary supplements etc. This review focusses on the recent advancements in this field and projects the opportunities that exists in the industrial production of the functional ingredients.

Keywords: Microalgae; Functional ingredients; Health benefits; Recent developments

Introduction

Functional food is defined as food which contains more functional ingredients that provides additional health benefits [1]. The increased interest in functional food ingredients and other natural food products has been recognized to promote excellent health, decrease the risk of mainly non communicable diseases and enhance cost effective care by promoting a quality of life [2]. The positive impact of nutritious foods on the human health has been long realized, which has led to the development of several innovative functional ingredients and functional food products. Functional foods have been linked with health improvement, quality of life, and decrease illness risk [3]. Algae derived nutrients and bioactive compounds are being investigated for their potential biological activities [4,5]. The algal metabolites are promising source of ingredients for the development of novel food products they are also good source of proteins, minerals, vitamins, amino acids, lipids, fatty acids, polysaccharides, nucleic acid, and carotenoids etc which are of immense value as nutritional supplements [6,7]. In view of this in recent years a lot of research has been carried out on the development of novel health foods from algal biomass. Algal biomass and extracts are used extensively in the formulations of gels, capsules, tablets, gums, bars, snacks, pastas, drinks, and beverages [8]. Algal biomass production can be improved through adopting innovative methods of enhancing biomass coupled to technological interventions for functional food applications. The

main focus of this review is to provide an overview of functional ingredients from algae for food and health applications.

Functional ingredients from algae for health benefits

The main objective of functional food is to identify the health benefits of the specific ingredient(s). The functional attributes must be investigated using suitable *in vitro* or *in vivo* models and through human trials. A functional food needs though evaluation of biological activity at molecular level also based on the specific target sites as well. The science of interactions between genes and food ingredients also called as nutrigenomic is receiving attention to enhance the efficacy [9].

The design of a functional food should aim at increasing the benefits and reduce the risk. The benefit involves evaluation of physiological effects, enhanced bioavailability and efficacy. However the toxicity evaluation is to be made for determining the upper limits of administration or to set minimal effective levels (Figure 1).

Algae contain a large number of bioactive molecules with wide biological activities such as anti-oxidant, anti-bacterial, anti-viral, anti-carcinogenic etc. Some algae contain high fiber content in the form of sulphated galactans or carragenates in red algae, fucans, alginates, and laminarin etc. The consumption of high fiber containing diet has a progressive effect on human

health which reduces The risks of cancer, diabetes, obesity, and hypercholesterolemia. The high fiber content diet showed a good immunological activity [10,11]. Alginate in *Undaria pinnatifida* showed positive effect on cardiovascular disease, and alginic acid demonstrated to reduce hypertension in hypertensive rats [12]. Alginic acid, xyloglucans in *Sargassum vulgare* and sulphated fucans in *Undaria pinnatifida* have been shown to

exhibit a powerful anti-viral activity against herpes type-1 and cytomegalovirus in humans [13,14]. The fucoidans from algae acts as anti-coagulant, anti-thrombotics agents and also showed anti-tumoral properties in rat model studies [15-17]. A sulphated polysaccharide from the red alga *Porphyra sp.* showed some apoptotic property in carcinogenic cells [16,18].




Figure 1: Common functional ingredients (Information obtained from Wildman 2007).

Antioxidants are the substances that have attracted major interest. Algae are exposed to various combinations of light and oxygen Which induces the formation of free radicals and oxidative reagents. The absence of structural damage in the algae may suggest that these organisms are able to generate the necessary compounds to protect themselves against oxidation. The most powerful antioxidants found in algae are carotenoids (astaxanthin, lutein, and β -carotene), polyphenols, phycobiliproteins and vitamins found in the algae. Thus algae are considered as an important source of antioxidant compounds for protecting cells against the reactive oxygen species formed by light or pollutions or other factors. The most important vitamin-E found in *Himanthalia elongata* (brown alga) is very stable to acids, heat, and unstable to alkali, oxygen and UV radiation. Algae also produce various carotenoids and xanthophylls. Several studies were conducted on carotenoids which unraveled the potential anti-oxidant and anti-cancer properties [19-23]. Xanthophylls obtained from *Undaria pinnatifida* have showed activity against cerebrovascular disease [12]. Algae are also a wonderful source of eicosapentanoic acid (EPA) reported in *Himanthalia elongata*, *Undaria pinnatifida* and *Porphyra sp.* These essential fatty acids such as docosahexaenoic acid (DHA) and eicosapentaenoic acid (EPA) have demonstrated their effect on the reduction of coronary

heart diseases, thrombosis and arteriosclerosis (Several clinical studies have been conducted using diets with sterols from algae which showed reduction in cholesterol levels in blood. Further, they have shown anti-inflammatory, anti-fungal, anti-ulcer, anti-ulcerative and anti-tumor activities in *in vitro* and *in vivo* studies [24-27]. The biochemical composition and biological activity of algae plays a major role in the selection of specific novel functional food ingredient for human health benefits. Many of the manufacturing companies are producing algal biomass for health food products for nutritional purpose (Table 1). Bioactive molecules such as phycocyanin, phycoerythrin, astaxanthin, β -carotene, polysaccharide from various micro algal species used in health food, dietary supplements, feed, pharmaceuticals, and cosmetics applications (Table 2). Bioactive molecules from algae show a potential as natural source of ingredients with diverse biological activities. However, once their importance is known there is a requirement to sustainable development of production system coupled to ecofriendly Downstream processing methods. Since algae are largely unexplored for biodiversity and biological activities, they hold tremendous promise for bioprospecting and to find novel biotechnological applications of functional ingredients for health benefits [31-34].

Table 1: Some companies producing algal products for nutritional purpose.

Microalgae	Major Producers	Products
<i>Spirulina</i>	Earthrise Nutritionals, California, USA; Cyanotech, USA; Myanmar Spirulina factory, Myanmar; Bluebio Bio-Pharmaceutical Co. Ltd., China; Jiangsu Cibainian Nutrition Food Co. Ltd., China; Far East Bio-Tech Co. Ltd., Taiwan; Fuqing King Dnarmsa Spirulina Co. Ltd., China; Hainan Simai Pharmacy Co. Ltd., China; Nanjing General Spirulina Developing Corporation, China; Wuhan Sunrise Biotech Co. Ltd., China; Parry Nutraceuticals, India; Wellisen Nutraceuticals, India	Powders, extracts, Tablets, beverages, chips, pasta, liquid extract , biomass
<i>Chlorella</i>	Taiwan Chlorella Manufacturing Co. Taiwan; Bluebio Bio-Pharmaceutical Co. Ltd., China; Jiangsu Cibainian Nutrition Food Co. Ltd., China; Klotze, Germany; Wellisen Nutraceuticals, India	Tablets, powders, nectar, noodles
	Far East Bio-Tech Co. Ltd., Taiwan; Ocean Nutrition, Canada; Wudi Xinhui Chlorella Co. Ltd., China	Cosmetics, health care products
<i>Dunaliella salina</i>	Cognis Nutrition health, Australia	Powders and β -carotene
<i>Aphanizomenon flos-aquae</i>	Blue Green Foods, USA; Vision, USA	Capsules, crystals, powder, capsules, crystals

(Information obtained from Pulz & Gross [28]; Spolaore et al. [29]; Hallmann [30].

Table 2: Utilization of algae for food and health applications.

Algal species	Applications
<i>Spirulina platensis</i>	Phycocyanin, phycoerythrin, and biomass for health food, pharmaceuticals, feed, and cosmetics
<i>Chlorella vulgaris</i> ; <i>Chlorella spp.</i>	Polysaccharides for dietary supplements, extracts for cosmetics; Biomass for health food, feed,
<i>Dunaliella salina</i>	β -carotene for health food, feed, dietary supplements, and cosmetics
<i>Haematococcus pluvialis</i>	Astaxanthin for health food, pharmaceuticals and feed additives
<i>Chlamydomonas Reinhardtii</i>	Biomass for animal health and feed; environmental monitoring; bioremediation, production of recombinant proteins
<i>Isochrysis galbana</i>	Fatty acids for animal nutrition
<i>Nannochloropsis oculata</i>	Lipids and fatty acids for animal nutrition; extracts for cosmetics
<i>Porphyra spp.</i>	Biomass for feed, food; extracts for cosmetics
<i>Porphyridium spp.</i>	Polysaccharides for nutrition, pharmaceuticals, and cosmetics, phycocyanin and phycoerythrin for pharmaceuticals, cosmetics and food
<i>Phaeodactylum tricornutum</i>	Lipids and fatty acids for nutrition

(Information obtained from Hallmann [30].

Acknowledgements

The authors acknowledge Vignan`s Foundation for Science, Technology and Research University for providing financial support and research facility for this work.

References

1. Lordan S, Paul Ross R, Stanton C (2011) Marine bioactives as functional food ingredients: potential to reduce the incidence of chronic diseases. *Marine Drugs* 9(6): 1056-1100.
2. Shahidi F (2008) Nutraceuticals and functional foods: whole versus processed foods. *Trends in Food Science and Technology* 20(9): 376-387.
3. Gouveia L, Marques AE, Sousa JM, Moura P, Bandarra NM (2010) Microalgae-source of natural bioactive molecules as functional ingredients. *Food Science and Technology Bulletin* 7(2): 21-37.
4. Batista AP, Gouveia L, Bandarra NM, Franco JM, Raymundo A (2013) Comparison of microalgal biomass profiles as novel functional ingredient for food products. *Algal Research* 2(2): 164-173.
5. Nuno K, Villarruel-Lopez A, Puebla-Perez AM, Romero-Velarde E, Puebla-Mora AG, et al. (2013) Effects of the marine microalgae *Isochrysis galbana* and *Nannochloropsis oculata* in diabetic rats. *Journal of Functional Foods* 5(1): 106-115.
6. Tokuşoglu O, Una MK (2003) Biomass nutrient profiles of three microalgae: *Spirulina platensis*, *Chlorella vulgaris*, and *Isochrysis galbana*. *Journal of Food Science* 68(4): 1144-1148.
7. Priyadarshani I, Rath B (2012) Commercial and industrial applications of micro algae-A review. *Journal of Algal Biomass Utilization* 3(4): 89-100.
8. Goh LP, Loh SP, Fatimah MY, Perumal K (2009) Bioaccessibility of carotenoids and tocopherols in marine microalgae, *Nannochloropsis sp.* and *Chaetoceros sp.* *Malaysian Journal of Nutrition* 15(1): 77-86.

9. Elsamanoudy AZ, Mohamed Neamat-Allah MA, Hisham Mohammad FA, Hassanien M, Nada HA (2016) The role of nutrition related genes and nutrigenetics in understanding the pathogenesis of cancer. *Journal of Microscopy and Ultrastructure* 4(3): 115-122.
10. Slavin J (2013) Fiber and Prebiotics: Mechanisms and health benefits. *Nutrients* 5(4): 1417-1435.
11. German JB, Zivkovic AM, Dallas DC, Smilowitz JT (2013) Nutrigenomics and personalized diets: What will they mean for food? *Annual Review Food Science Technology* 2: 97-123.
12. Ikeda K, Kitamura A, Machida H, Watanabe M, Negishi H, et al. (2006) Effect of *Undaria pinnatifida* (Wakame) on the development of cerebrovascular diseases in stroke-prone spontaneously hypertensive rats. *Clinical and Experimental Pharmacology and Physiology* 30(1-2): 44-48.
13. Thompson KD, Dragar C (2004) Anti-viral activity of *Undaria pinnatifida* against herpes simplex virus. *Phytotherapy Research* 18(7): 551-555.
14. Hemmingson JA, Falshaw R, Furneaux RH, Thompson K (2006) Structure and antiviral activity of the galactofucan sulfates extracted from *Undaria pinnatifida* (Phaeophyta). *Journal of Applied Phycology* 18: 185-193.
15. De Jesus Raposo MF, De Moraes AM, De Moraes RM (2015) Marine polysaccharides from algae with potential biomedical applications. *Marine drugs* 13(5): 2967-3028.
16. Lee JC, Hou MF, Huang HW, Chang FR, Yeh CC, et al. (2013) Marine algal natural products with anti-oxidative, anti-inflammatory, and anti-cancer properties. *Cancer Cell International* 13(1): 55.
17. Maruyama H, Tamauchi H, Hashimoto M, Nakano T (2013) Antitumor activity and immune response of mekabu fucoidan extracted from sporophyll of *Undaria pinnatifida*. *In Vivo* 17(3): 245-249.
18. Kwon MJ, Nam TJ (2006) Porphyrin induces apoptosis related signal pathway in AGS gastric cancer cell lines. *Life Sciences* 79(20): 1956-1962.
19. Christaki E, Bonos E, Giannenas I, Florou-Paneri P (2013) Functional properties of carotenoids originating from algae. *Journal of the Science of Food and Agriculture* 93(1): 5-11.
20. Guedes AC, Amaro HM, Malcata FX (2011) Microalgae as sources of carotenoids. *Marine drugs* 9(4): 625-644.
21. Ranga Rao A, Deepika G, Ravishankar GA, Sarada R, Narasimharao BP, et al. (2017) *Botryococcus* as an alternative source of carotenoids and its possible applications-an overview. *Critical Reviews in Biotechnology* 1-18.
22. Ranga Rao A, Phang SM, Sarada R, Ravishankar GA (2014) Astaxanthin: sources, extraction, stability, biological activities and its commercial applications-a review. *Marine drugs* 12(1): 128-152.
23. Ranga Rao A, Sindhuja HN, Dharmesh SM, Sankar KU, Sarada R, et al. (2013) Effective inhibition of skin cancer, tyrosinase, and antioxidative properties by astaxanthin and astaxanthin esters from the green alga *Haematococcus pluvialis*. *Journal of Agricultural and Food Chemistry* 61(16): 3842-3851.
24. Kim SK, Van TQ (2011) Potential beneficial effects of marine algal sterols on human health. *Advances in Food and Nutrition Research* 64: 191-198.
25. Abdul QA, Choi RJ, Jung HA, Choi JS (2016) Health benefit of fucosterol from marine algae: a review. *Journal of the Science of Food and Agriculture* 96(6): 1856-1866.
26. Dunford NT, King JW (2000) Phytosterol enrichment of rice bran oil by a supercritical carbon dioxide fractionation technique. *Journal of Food Science* 65(8): 1395-1399.
27. Sanchez-Machado DI, Lopez-Cervantes J, Lopez-Hernandez J, Paseiro-Losada P (2004) Fatty acids, total lipid, protein and ash contents of processed edible seaweeds. *Food Chemistry* 85(3): 439-444.
28. Pulz O, Gross W (2004) Valuable products from biotechnology of microalgae. *Applied Microbiology and Biotechnology* 65(6): 635-648.
29. Spolaore P, Joannis-Cassan C, Duran E, Isambert A (2006) Commercial applications of microalgae-review. *Journal of Bioscience and Bioengineering* 101(2): 87-96.
30. Hallmann A (2007) Algae transgenes and biotechnology. *Transgenic Plant Journal* 1(1): 81-98.
31. Plaza M, Cifuentes A, Ibanez E (2008) In the search of new functional food ingredients from algae and microalgae. *Trends in Food Science and Technology* 19(1): 31-39.
32. Ranga Rao A, Harshavardhan Reddy A, Aradhya SM (2010) Antibacterial properties of *Spirulina platensis*, *Haematococcus pluvialis*, *Botryococcus braunii* micro algal extracts. *Current Trends in Biotechnology and Pharmacy* 4(3): 809-819.
33. Simopoulos AP (2004) Omega-3 essential fatty acid ratio and chronic diseases. *Food Review International* 20(1): 77-90.
34. Wildman R (2007) *Handbook of nutraceuticals and functional foods*. (2nd edn), CRC Press, Boca Raton, FL, USA.



This work is licensed under Creative Commons Attribution 4.0 License
DOI: [10.19080/ARTOAJ.2018.14.555911](https://doi.org/10.19080/ARTOAJ.2018.14.555911)

**Your next submission with Juniper Publishers
will reach you the below assets**

- Quality Editorial service
- Swift Peer Review
- Reprints availability
- E-prints Service
- Manuscript Podcast for convenient understanding
- Global attainment for your research
- Manuscript accessibility in different formats
- (Pdf, E-pub, Full Text, Audio)**
- Unceasing customer service

Track the below URL for one-step submission

<https://juniperpublishers.com/online-submission.php>